AMENDMENTS TO THE CLAIMS

This listing of the claims replaces all prior versions and listings of the claims in the application.

1. (original) A vinyl siding panel comprising a first planar portion extending the longitudinal length of the vinyl siding panel, said first planar portion comprising:

a first edge and a second edge;

a width of at least about 4.0 inches from said first edge to said second edge; and

a surface variance of less than about 0.05 inches relative to an imaginary

straight line connecting said first edge and said second edge.

2. (original) The vinyl siding panel of claim 1 further comprising a reinforcement panel

secured to said first planar portion.

3. (original) The vinyl siding panel of claim 2 wherein said reinforcement panel is

comprised of foam.

4. (original) The vinyl siding panel of claim 1 wherein said first planar portion has an

average thickness in the range from about 0.040 inches to about 0.050 inches.

5. (original) The vinyl siding panel of claim 1 further comprising a nailing strip

connected to said first edge of said first planar portion.

6. (original) The vinyl siding panel of claim 1 further comprising a tongue connected to

said first edge of said first planar portion, said tongue adapted to fit in a groove of an

adjacent, substantially similar, vinyl siding panel when installed on a structure.

Page 4 of 14

7. (original) The vinyl siding panel of claim 1 further comprising a groove connected to

said second edge of said first planar portion, said groove adapted to receive a tongue

of an adjacent, substantially similar, vinyl siding panel when installed on a structure.

8. (original) The vinyl siding panel of claim 1 further comprising a second planar

portion extending the longitudinal length of the vinyl siding panel, said second planar

portion comprising:

a first edge and a second edge;

a width of at least about 4.0 inches from said first edge to said second edge of

said second planar portion; and

a surface variance of less than about 0.05 inches relative to an imaginary

straight line connecting said first edge and said second edge of said second planar

portion;

wherein said second planar portion is connected to said first planar portion by a

first seam to define a stepped contour.

9. (original) The vinyl siding panel of claim 8 wherein the height of said first seam is at

least about 0.5 inches.

10. (original) The vinyl siding panel of claim 8 wherein said first planar portion is

substantially similar to said second planar portion.

11. (original) The vinyl siding panel of claim 8 further comprising a third planar portion

extending the longitudinal length of the vinyl siding panel, said third planar portion

comprising:

Page 5 of 14

a first edge and a second edge;

a width of at least about 4.0 inches from said first edge to said second edge of

said third planar portion; and

a surface variance of less than about 0.05 inches relative to an imaginary

straight line connecting said first edge and said second edge of said third planar

portion;

wherein said third planar portion is connected to said first planar portion by a

second seam to define a stepped contour.

12. (original) The vinyl siding panel of claim 11 wherein the height of said second

seam is at least about 0.5 inches.

13. (original) The vinyl siding panel of claim 11 wherein said first planar portion, said

second planar portion, and said third planar portion are substantially similar.

14. (original) A vinyl siding panel comprising a first planar portion extending the

longitudinal length of the vinyl siding panel, said first planar portion comprising:

a first edge and a second edge;

a width of at least about 4.0 inches from said first edge to said second edge; and

a radius curvature between said first edge and said second edge of at least

about 85 inches.

15. (original) The vinyl siding panel of claim 14 further comprising a reinforcement

panel secured to said first planar portion.

Page 6 of 14

16. (original) The vinyl siding panel of claim 15 wherein said reinforcement panel is

comprised of foam.

17. (original) The vinyl siding panel of claim 14 wherein said first planar portion has an

average thickness in the range from about 0.040 inches to about 0.050 inches.

18. (original) The vinyl siding panel of claim 14 further comprising a nailing strip

connected to said first edge of said first planar portion.

19. (original) The vinyl siding panel of claim 14 further comprising a tongue connected

to said first edge of said first planar portion, said tongue adapted to fit in a groove of an

adjacent, substantially similar, vinyl siding panel when installed on a structure.

20. (original) The vinyl siding panel of claim 14 further comprising a groove connected

to said second edge of said first planar portion, said groove adapted to receive a

tongue of an adjacent, substantially similar, vinyl siding panel when installed on a

structure.

21. (original) The vinyl siding panel of claim 14 further comprising a second planar

portion extending the longitudinal length of the vinyl siding panel, said second planar

portion comprising:

a first edge and a second edge;

a width of at least about 4.0 inches from said first edge to said second edge of

said second planar portion; and

a radius curvature between said first edge and said second edge of said second

planar portion of at least about 85 inches;

Page 7 of 14

wherein said second planar portion is connected to said first planar portion by a

first seam to define a stepped contour.

22. (original) The vinyl siding panel of claim 21 wherein the height of said first seam is

at least about 0.5 inches.

23. (original) The vinyl siding panel of claim 21 wherein said first planar portion and

said second planar portion are substantially similar.

24. (original) The vinyl siding panel of claim 21 further comprising a third planar portion

extending the longitudinal length of the vinyl siding panel, said third planar portion

comprising:

a first edge and a second edge;

a width of at least about 4.0 inches from said first edge to said second edge of

said third planar portion; and

a radius curvature between said first edge and said second edge of said third

planar portion of at least about 85 inches;

wherein said third planar portion is connected to said first planar portion by a

second seam to define a stepped contour.

25. (original) The vinyl siding panel of claim 24 wherein the height of said second

seam is at least about 0.5 inches.

26. (original) The vinyl siding panel of claim 24 wherein said first planar portion, said

second planar portion, and said third planar portion are substantially similar.

27. (canceled without prejudice)

Page 8 of 14

App. No. 09/751,185 Amendment mailed September 7, 2004 Re: Office Action mailed June 4, 2004

- 28. (canceled without prejudice)
- 29. (new) The vinyl siding panel of claim 1 wherein said first planar portion has said width of at least about 6.0 inches from said first edge to said second edge.
- 30. (new) The vinyl siding panel of claim 14 wherein said first planar portion has said width of at least about 6.0 inches from said first edge to said second edge.